

# The Knee Clinic Intake Form

Welcome to the Knee Clinic! We are a private fee-for-service clinic. Please complete the following questionnaire. Your answers will help determine the level of care we are able to provide to you. If we do not believe your condition will respond satisfactorily, we will refer you to the appropriate health-care provider in a timely manner.

PERSONAL INFORMATION			Da	ate
Name:/  Last  Personal Health #:	First	Mid	dle Initial	☐ Male ☐ Female
Height: Weight:			YYYY MM	
Home Address:		City:		Postal Code:
Current Occupation:				
Phone #'s: Home	Cell		Bus	
Do you consent to receiving emails regarding Yes, I consent to receiving email communications.	•	· ·	ortant clinic upda	tes?
Email Address:				
Family Doctor (G.P.):  Name Please be advised that in the interest of interpolation of the control of the contr	er-professional commui	nication, we will be		Phone Number Ir physician regarding the care
Emergency Contact:Name		Relationship		Phone Number
How did you hear about us? ☐ Google ☐ Facebook ☐ Instagram ☐ T	<sup>-</sup> witter □ TV □ Radic	Referred by: _		
Is this a workplace injury? ☐ Yes ☐ No *	Please be advised that	we do not accept V	VCB cases.	
Is your injury the result of a motor vehicle a	accident? 🗖 Yes 🗖 No	If yes, additional	intake forms are r	equired.
The healthcare team in this clinic meets reg discuss your case, please initial here:		sciplinary co-treatr	ment of our patier	nts. If you <b>do not</b> wish us to
Our clinic is committed to evidence-based pused in research is kept strictly confidential to be used in future research?   Yes	and is used only with p	-		
Missed office Visits: A charge of \$80 will be made in the event o	of a missed office visit. o	r if less than 24 ho	urs' notice is giver	n when canceling an

A charge of \$80 will be made in the event of a missed office visit, or if less than 24 hours' notice is given when canceling an appointment.

#### Re-examinations:

Re-examinations are done in the event of a six-month time lapse between office visits.

#### **HEALTH INFORMATION**


8. Does your knee: (Please check)

☐ Lock

1.	Have you had	any previous treatment to your knee?
	☐ Yes	For what reason?
	☐ No.	What approach was taken?
2.	In your own	words, please describe your chief complaint and when you first noticed the problem.
3.	What seems t	to make the problem better?
4.	What seems t	to make the problem worse?
5.		pain is it? (Please check)  Stabbing Achy Burning Dull Diffuse Localized
6.	Does the pair	n radiate? 🗖 Yes 📮 No
7.	At what time	of the day does your pain seem to be at its worst?

9. Mark the areas on the body drawings where you feel the following sensations using their corresponding symbols. Include all affected areas.

☐ Give out on you



☐ Make cracking noises

10	The transfer of the second	Daniel and Francisco	المصامع بمستمير	L - L	4 41	:			
1()	Using the	line scale	nrovided	nelow r	ate the	nain v	nu are i	experiencing	າ now
т О.	OSITIO CITE	inic scare	provided	DCIO VV I	acc circ	P 4 ,	ca are	cxpciiciioni	, <u></u>

			_			_			_	_		_	
No Pain	()	1	12	/	1			/	2	u	1()	Savara	Dain
INO Falli	U	LZ			+	J(	J	/	3	<i>J</i>	TO.	Severe .	ганн

#### PHYSICAL HISTORY

Please mark a **1** beside any conditions you have had in the **past** Please mark a **2** beside any condition that you have **presently** 

Musculoskeletal system	Nervous system	Cardio-Vascular-Resp.
Neck problems	Numbness	Chest pain
Upper back problems	Loss of feeling	High blood pressure
Shoulder problems	Headaches	Difficult breathing
Elbow/wrist problems	Dizziness	Persistent cough
Low back problems	Fainting	Coughing phlegm/blood
Knee problems	Confusion	Lung problems
Ankle/foot	Depression	Varicose veins
Arthritis	Forgetfulness	Diabetes
		Hypoglycemia
Genito-Urinary system	Gastrointestinal system	Ear, Eyes, Nose, Throat
 _ Painful urination	Poor appetite	Eye problems
Excessive urine	Excessive hunger	Vision problems
 Scanty urine	Abdominal pain	Ear discharge
 Discolored urine	Excessive thirst	Ear pain
	Nausea/vomiting	Ear ringing
Female	Diarrhea	Hearing loss
 Premenstrual syndrome	Constipation	Sore throat
Abnormal vaginal discharge	Bloody/black stool	Allergies
 Abnormal vaginal bleeding	Liver/gallbladder trouble	Hoarseness
 Pregnancy	Weight trouble	
 Breast nain and/or lumns		

Your first visit to the office includes both an initial consultation as well as an office visit. At the discretion of the doctor, your first visit may not consist of actual treatment.

### Attire/Hygiene

Some treatments necessitate direct skin contact. Please bring shorts to each appointment and bathe before attending your appointment.

Please refrain from wearing any cologne, perfumes or scented lotions while in the clinic.

## CANADIAN CHIROPRACTIC PROTECTIVE ASSOCIATION

# CONSENT TO CHIROPRACTIC TREATMENT - FORM L

It is important for you to consider the benefits, risks and alternatives to the treatment options offered by your chiropractor and to make an informed decision about proceeding with treatment.

Chiropractic treatment includes adjustment, manipulation and mobilization of the spine and other joints of the body, soft-tissue techniques such as massage, and other forms of therapy including, but not limited to, electrical or light therapy and exercise.

#### **Benefits**

Chiropractic treatment has been demonstrated to be effective for complaints of the neck, back and other areas of the body caused by nerves, muscles, joints and related tissues. Treatment by your chiropractor can relieve pain, including headache, altered sensation, muscle stiffness and spasm. It can also increase mobility, improve function, and reduce or eliminate the need for drugs or surgery.

#### Risks

The risks associated with chiropractic treatment vary according to each patient's condition as well as the location and type of treatment.

The risks include:

- <u>Temporary worsening of symptoms</u> Usually, any increase in pre-existing symptoms of pain or stiffness will last only a few hours to a few days.
- <u>Skin irritation or burn</u> Skin irritation or a burn may occur in association with the use of some types of electrical or light therapy. Skin irritation should resolve quickly. A burn may leave a permanent scar.
- <u>Sprain or strain</u> Typically, a muscle or ligament sprain or strain will resolve itself within a few days or weeks with some rest, protection of the area affected and other minor care.
- <u>Rib fracture</u> While a rib fracture is painful and can limit your activity for a period of time, it will generally heal on its own over a period of several weeks without further treatment or surgical intervention.
- <u>Injury or aggravation of a disc</u> Over the course of a lifetime, spinal discs may degenerate or become damaged. A disc can degenerate with aging, while disc damage can occur with common daily activities such as bending or lifting. Patients who already have a degenerated or damaged disc may or may not have symptoms. They may not know they have a problem with a disc. They also may not know their disc condition is worsening because they only experience back or neck problems once in a while.

Chiropractic treatment should not damage a disc that is not already degenerated or damaged, but if there is a preexisting disc condition, chiropractic treatment, like many common daily activities, may aggravate the disc condition.

The consequences of disc injury or aggravating a pre-existing disc condition will vary with each patient. In the most severe cases, patient symptoms may include impaired back or neck mobility, radiating pain and numbness into the legs or arms, impaired bowel or bladder function, or impaired leg or arm function. Surgery may be needed.

• <u>Stroke</u> – Blood flows to the brain through two sets of arteries passing through the neck. These arteries may become weakened and damaged, either over time through aging or disease, or as a result of injury. A blood clot may form in a damaged artery. All or part of the clot may break off and travel up the artery to the brain where it can interrupt blood flow and cause a stroke.

Many common activities of daily living involving ordinary neck movements have been associated with stroke resulting from damage to an artery in the neck, or a clot that already existed in the artery breaking off and travelling up to the brain.

Chiropractic treatment has also been associated with stroke. However, that association occurs very infrequently, and may be explained because an artery was already damaged and the patient was progressing toward a stroke when the patient consulted the chiropractor. Present medical and scientific evidence does not establish that chiropractic treatment causes either damage to an artery or stroke.

The consequences of a stroke can be very serious, including significant impairment of vision, speech, balance and brain function, as well as paralysis or death.

#### Alternatives

Alternatives to chiropractic treatment may include consulting other health professionals. Your Chiropractor may also prescribe rest without treatment, or exercise with or without treatment.

#### **Questions or Concerns**

You are encouraged to ask questions at any time regarding your assessment and treatment. Bring any concerns you have to the chiropractor's attention. If you are not comfortable, you may stop treatment at any time.

Please be involved in and responsible for your care.

Inform your chiropractor immediately of any change in your condition.

DO <u>NOT</u> SIGN THIS FORM UNTIL YOU MEET WITH THE CHIROPRACTOR  I hereby acknowledge that I have discussed with the chiropractor the assessment of my condition and the treatment plan. I understand the nature of the treatment to be provided to me. I have considered the benefits and risks of treatment, as well as the alternatives to treatment. I hereby consent to chiropractic treatment as proposed to me.								
Name (Please Print)								
Signature of patient (or legal guardian)	Date	20						
Signature of Chiropractor	Date	20						

### **KOOS KNEE SURVEY**

**INSTUCTIONS:** This survey asks for your view about your knee. This information will help us keep track of how you feel about your knee and how well you are able to perform your usual activities.

Answer every question by ticking the appropriate box, only **one box** for each question. If you are unsure about how to answer a question, please give the best answer you can.

#### **Symptoms**

These questions should be answered thinking of your knee symptoms during this last week.

	Never	Rarely	Sometimes	Often	Always
S1. Do you have swelling in your knee?					
S2. Do you feel grinding, hear clicking or any other type of					
noise when your knee moves?					
S3. Does your knee catch or hang up when moving?					
S4. Can you straighten your knee fully?					
S5. Can you bend your knee fully?					

#### **Stiffness**

The following questions concern the amount of joint stiffness you have experienced in your knee during the last week. Stiffness is a sensation of restriction or slowness in the ease with which you move your knee joint.

	None	Mild	Moderate	Severe	Extreme
S6. How severe is your knee joint stiffness <b>first thing in the</b>					
morning?					
S7. How severe is your knee stiffness after sitting, lying or					
resting later in the day?					

### Pain

	Never	Monthly	Weekly	Daily	Always
P1. How often do you experience knee pain?					

What amount of knee pain have you experienced in the last week during the following activities?

	None	Mild	Moderate	Severe	Extreme
P2. Twisting/pivoting on your knee					
P3. Straightening knee fully					
P4. Bending knee fully					
P5. Walking on flat surface					
P6. Going up or down stairs					
P7. At night while in bed					
P8. Sitting or lying down	·				
P9. Sitting upright					

#### Function, daily living

The following questions concern your physical function. By this we mean your ability to move around and look after yourself. For each of the following activities please indicate the degree of difficulty you have experienced **in the last week** due to your knee.

	None	Mild	Moderate	Severe	Extreme
A1. Descending stairs					
A2. Ascending stairs					
A3. Rising from sitting					
A4. Standing					

	None	Mild	Moderate	Severe	Extreme
A5. Bending to floor/picking up objects					
A6. Walking on a flat surface					
A7. Getting in/out of car					
A8. Going shopping					
A9. Putting on socks/stockings					
A10. Taking off socks/stockings					
A11. Rising from bed					
A12. Lying in bed (turning over, maintaining knee position					
A13. Getting in/out of bath					
A14. Sitting					
A15. Getting on/off toilet					

For each of the following activities please indicate the degree of difficulty you have experienced **in the last week** due to your knee.

	None	Mild	Moderate	Severe	Extreme
A16. Heavy domestic duties (moving heavy boxes,					
scrubbing floors, etc.)					
A17. Light domestic duties (cooking, dusting, etc.)					

### Function, sports and recreational activities

The following questions concern your physical function when being active on a higher level. The questions should be answered thinking of what degree of difficulty you have experienced **in the last week** due to your knee.

	None	Mild	Moderate	Severe	Extreme
SP1. Squatting					
SP2. Running					
SP3. Jumping					
SP4. Twisting/pivoting on your injured knee					
SP5. Kneeling					

Quality of life

	Never	Monthly	Weekly	Daily	Always
Q1. How often are you aware of your knee problem					

	Never	Mildly	Moderately	Severely	Totally
Q2. Have you modified your lifestyle to avoid potentially					
damaging activities to your knee?					
Q3. How much are you troubled with lack of confidence in					
your knee?					
Q4. In general, how much difficulty do you have with your					
knee?					